Room 1601, Tower 1, Building 25, Gaoke Garden, Gaoxin 5th Rd, High-tech Zone, Xi'an, China Tel: +86 15091603155 Email: summer@xabiof.com

CERTIFICATE OF ANALYSIS

| Product Name | Alpha Lipoic Acid | Specification | Company Standard |
|---------------------|---------------------------------------|------------------|---------------------|
| Cas No. | 1077-28-7 | Manufacture Date | 2024.7.10 |
| Quantity | 120KG | Analysis Date | 2024.7.16 |
| Batch No. | ES-240710 | Expiry Date | 2026.7.9 |
| Items | Specifications | | Results |
| Appearance | Light Yellow Powder | | Conforms |
| Assay | 99.0%-101.0% | | 99.6% |
| Melting Point | 60℃-62℃ | | 61.8℃ |
| Specific Rotation | -1.0° to +1.0° | | 0° |
| Loss on drying | ≤0.2% | | 0.18% |
| Residue on Ignition | ≤0.1% | | 0.03% |
| Bulk Density | 0.3-0.5g/ml | | 0.36g/ml |
| Particle Size | 95% pass 80 mesh | | Conforms |
| Heavy Metals | ≤10.0ppm | | Conforms |
| Pb | ≤1.0 ppm | | Conforms |
| As | ≤1.0 ppm | | Conforms |
| Cd | ≤1.0ppm | | Conforms |
| Hg | ≤0.1 ppm | | Conforms |
| Total Plate Count | ≤1000cfu/g | | Conforms |
| Yeast & Mold | ≤100cfu/g | | Conforms |
| E.coli | Negative | | Negative |
| Salmonella | Negative | | Negative |
| Staphylococcus | Negative | | Negative |
| Conclusion | This sample meets the specifications. | | |

Conclusion: Approved