Room 1601, Tower 1, Building 25, Gaoke Garden, Gaoxin 5th Rd, High-tech Zone, Xi'an, China TEL: +86 13629159562 Email: jodie@xabiof.com

OF **CERTIFICATE ANALYSIS**

Product Name	Cytidine 5'-Diphosphocholine	Specification	Company Standard
CAS No.	987-78-0	Manufacture Date	2024.9.19
Quantity	300KG	Analysis Date	2024.9.25
Batch No.	BF-240919	Expiry Date	2026.9.18

Items	Specifications	Results
Assay (on dry basis, HPLC)	≥ 98.0%	99.84%
Appearance	White Crystalline Powder	Complies
Odor	Characteristic	Complies
Identification	The solution should be positively reacting The retention time of the principal peak in the chromatogram obtained with the test solution is identical with that of the principal peak in the chromatogram obtained with the reference solution	Complies
	The infrared absorption spectrum is concordant with the standard spectrum	Complies
рН	2.5 - 3.5	3.2
Loss on Drying	≤ 6.0%	3.0%
Clarity, Color of Solution	Clear, Colorless	Complies
Chloride	≤ 0.05%	Complies
Ammonium Salt	≤ 0.05%	Complies
Iron Salt	≤ 0.01%	Complies
Phosphate	≤ 0.1%	Complies
	$5'$ -CMP $\leq 0.3\%$	0.009%
Related Substances	Single Impurity $\leq 0.2\%$	0.008%
	Total Another Impurity ≤ 0.7%	0.03%

Room 1601 , Tower 1 , Building 25 , Gaoke Garden, Gaoxin 5th Rd, High-tech Zone, Xi'an, China TEL: +86 13629159562 Email: jodie@xabiof.com

	<u> </u>			
	Methanol ≤0.3%	Absence		
Residua 1 Solvents	Ethanol ≤0.5%	Absence		
	Acetone ≤0.5%	Absence		
Arsenic Salt	≤ 0.0001%	Complies		
Total Heavy Metals	≤ 5.0 ppm	Complies		
Microbiological Test				
Total Plate Count	$\leq 1000 \text{ CFU/g}$	Complies		
Yeast & Mold	$\leq 100 \text{ CFU/g}$	Complies		
E.Coli	Negative	Complies		
Salmonella	Negative	Complies		
Package	Packed in plastic bag inside and aluminum foil bag outside.			
Storage	Store in a cool and dry place, keep away from strong light and heat.			
Shelf Life	Two years when properly stored.			
Conclusion	Sample Qualified.			

Analyst: Jiayan Yang Checked By: Fei Shen Manager: Xiaoyu Wang