

CERTIFICATE OF ANALYSIS

| Product Name | Propylparaben | Specification | Company Standard |
|-------------------|---------------------------------------|------------------|------------------|
| Cas No. | 94-13-3 | Manufacture Date | 2024.6.10 |
| Quantity | 500KG | Analysis Date | 2024.6.16 |
| Batch No. | ES-240610 | Expiry Date | 2026.6.9 |
| Items | Specifications | Results | |
| Appearance | White Crystalline Powder | Conforms | |
| Assay | ≥99.0% | 99.2% | |
| Odor & Taste | Characteristic | Conforms | |
| Melting Point | 95-98℃ | Conforms | |
| Boiling Point | 133℃ | Conforms | |
| Density | 1.0630g/ml | Conforms | |
| Refractive Index | 1.5050 | Conforms | |
| PH Value | 6-7 | Conforms | |
| Heavy Metals | ≤10.0ppm | Conforms | |
| Pb | ≤1.0 ppm | Conforms | |
| As | ≤1.0 ppm | Conforms | |
| Cd | ≤1.0 ppm | Conforms | |
| Hg | ≤0.1 ppm | Conforms | |
| Total Plate Count | ≤1000cfu/g | Conforms | |
| Yeast & Mold | ≤100cfu/g | Conforms | |
| E.coli | Negative | Negative | |
| Salmonella | Negative | Negative | |
| Staphylococcus | Negative | Negative | |
| Conclusion | This sample meets the specifications. | | |

Conclusion: Approved

Tested by: Zhang Xiaoxuan

