



Xi'an Biof Bio-technology Co.,Ltd

Room 1201, Vanke Wisdom Center, Xifeng Road, Yanta District, Xi'an, Shaanxi Province, China.

TEL: +86 15091603155

Email: summer@xabiof.com

CERTIFICATE OF ANALYSIS

Product Name	Ursolic Acid	Specification	Company Standard
CAS No.	77-52-1	Manufacture Date	2024.3.17
Quantity	300KG	Analysis Date	2024.3.24
Batch No.	ES-240317	Expiry Date	2026.3.16
Items	Specifications	Results	
Assay (HPLC)	≥50%	50%	
Appearance	White powder	Complies	
Loss on Drying	≤1.0%	1.02%	
Ash	≤1.0%	Complies	
Hydroquinote	≤10ppm	Complies	
Residue on Ignition	≤0.5%	Complies	
Heavy Metal			
Total Heavy Metal	≤10ppm	Complies	
Lead (Pb)	≤2.0 ppm	Complies	
Arsenic (As)	≤2.0 ppm	Complies	
Cadmium (Cd)	≤1.0 ppm	Complies	
Mercury (Hg)	≤0.1 ppm	Complies	
Microbiological Test			
Total Plate Count	<1000cfu/g	Complies	
Yeast & Mold	<100cfu/g	Complies	
E.Coli	Negative	Complies	
Salmonella	Negative	Complies	
Staphylococcus Aureus	Negative	Complies	
Pseudomonas Aeruginosa	Negative	Complies	
Package	Packed in plastic bag inside and aluminum foil bag outside.		
Storage	Store in a cool and dry place, keep away from strong light and heat.		
Shelf life	Two years when properly stored.		
Conclusion	Sample Qualified.		

Analyst: Jiayan Yang

Checked By: Fei Shen

Manager: Xiaoyu Wang

